

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-6 (canceled)

Claim 7 (currently amended): A work piece wrapping apparatus for wrapping a work piece being transported along a transporting path of the work piece in a wrapping sheet, comprising:

a wrapping sheet supply device that supplies the wrapping sheet onto the transporting path of the wrapping sheet intersecting the transporting path of the work piece;

a delivery guide device that causes the ~~wrapping sheet-work piece~~ to be wrapped by pushing the wrapping sheet with the work piece which is pushed on the transporting path of the work piece so as to cause the work piece to pass through a transit aperture that is provided between a pair of delivery guides; and

a spreading guide provided ~~in~~ on the periphery surface of the transit aperture of the delivery guide device, and whose center area in the transverse direction protrudes toward the rear in a transporting direction of the work piece so as to which ~~gradually spreads~~ spread the wrapping sheet out from a center area in the transverse direction of the work piece ~~wrapping sheet~~ towards both edges thereof with the work piece advances through the transit aperture.

Claim 8 (currently amended): The wrapping apparatus according to claim 7, wherein

smoothing pads that cause the wrapping sheet to contact tightly to a surface of the work piece are provided on the inner surface of ~~in~~ the transit aperture of the delivery guide device, and

the smoothing pads are formed by a plurality of bristles and a space between a pair of the smoothing pads that face each other across the transit aperture is set so as to be less than the thickness of the work piece.

Claim 9 (currently amended): The wrapping apparatus according to claim 7, wherein a correction guide that elastically ~~sandwiches~~presses the work piece is provided upstream side from the delivery guide device in the transporting ~~direction~~path of the work piece.

Claim 10 (currently amended): The wrapping apparatus according to one of claim 8, wherein a correction guide that elastically ~~sandwiches~~presses the work piece is provided upstream side from the delivery guide device in the transporting ~~direction~~path of the work piece.

Claim 11 (currently amended): The wrapping apparatus according to claim 7, wherein

a plurality of suction belts that feed the wrapping sheet ~~it~~ forward between the transporting path of the work piece and the delivery guide device while suctioning the wrapping sheet are provided in the wrapping sheet supply device, and

the spacing between the plurality of suction belts gradually ~~separates~~widens on the ~~work piece~~ transporting path ~~side~~of the wrapping sheet such that tension is placed on the wrapping sheet.

Claim 12 (currently amended): The wrapping apparatus according to claim 8, wherein

a plurality of suction belts that feed ~~it~~the wrapping sheet forward between the transporting path of the work piece and the delivery guide device while suctioning the wrapping sheet are provided in the wrapping sheet supply device, and

the spacing between the plurality of suction belts gradually ~~separates~~widens on the ~~work piece~~ transporting path ~~side~~of the wrapping sheet such that tension is placed on the wrapping sheet.

Claim 13 (currently amended): The wrapping apparatus according to claim 9, wherein

a plurality of suction belts that feed ~~it~~ the wrapping sheet forward between the transporting path of the work piece and the delivery guide device while suctioning the wrapping sheet are provided in the wrapping sheet supply device, and

the spacing between the plurality of suction belts gradually ~~separates~~ widens on the ~~work piece~~ transporting path ~~side~~ of the wrapping sheet such that tension is placed on the wrapping sheet.

Claim 14 (currently amended): The wrapping apparatus according to claim 10, wherein

a plurality of suction belts that feed the wrapping sheet ~~it~~ forward between the transporting path of the work piece and the delivery guide device while suctioning the wrapping sheet are provided in the wrapping sheet supply device, and

the spacing between the plurality of suction belts gradually ~~separates~~ widens on the ~~work piece~~ transporting path ~~side~~ of the wrapping sheet such that tension is placed on the wrapping sheet.

Claim 15 (previously presented): The wrapping apparatus according to claim 11, wherein

at least three suction belts are provided, and

in the suction belt located in the center, a non-suction area is provided in the vicinity of the transporting path of the work piece.

Claim 16 (previously presented): The wrapping apparatus according to claim 12, wherein

at least three suction belts are provided, and

in the suction belt located in the center, a non-suction area is provided in the vicinity of the transporting path of the work piece.

Claim 17 (previously presented): The wrapping apparatus according to claim 13, wherein

at least three suction belts are provided, and

in the suction belt located in the center, a non-suction area is provided in the vicinity of the transporting path of the work piece.

Claim 18 (previously presented): The wrapping apparatus according to claim 14, wherein

at least three suction belts are provided, and

in the suction belt located in the center, a non-suction area is provided in the vicinity of the transporting path of the work piece.

Claim 19 (currently amended): The wrapping apparatus according to claim 11, wherein an air guide that discharges de-electrification air in-towards the wrapping sheet being transported by the suction belts on the transporting direction-path of the wrapping sheet onto the wrapping sheet ~~being transported by the suction belts~~ is provided.

Claim 20 (currently amended): The wrapping apparatus according to claim 12, wherein an air guide that discharges de-electrification air in-towards the wrapping sheet being transported by the suction belts on the transporting direction-path of the wrapping sheet onto the wrapping sheet ~~being transported by the suction belts~~ is provided.

Claim 21 (currently amended): The wrapping apparatus according to claim 13, wherein an air guide that discharges de-electrification air in-towards the wrapping sheet being transported by the suction belts on the transporting direction-path of the wrapping sheet onto the wrapping sheet ~~being transported by the suction belts~~ is provided.

Claim 22 (currently amended): The wrapping apparatus according to claim 14, wherein an air guide that discharges de-electrification air ~~in~~towards the wrapping sheet being transported by the suction belts on the transporting direction-path of the wrapping sheet onto the wrapping sheet ~~being transported by the suction belts~~ is provided.